
























CAMERA MOUNTS (1)



















		Mount Adapter			Wall Mount	
Model		DA-MA2000	DA-MA2100	DA-MA4100	DA-WM1400	DA-WM1500
						
SPECIFICATION						
Material		Aluminum	Aluminum	Metal	Aluminum	Aluminum
Size	mm	Ø144.6 x 56.3 (L)	Ø167.2 x 70.2 (L)	Ø144 x 67(H)	279 (L) x 116 (W) x 141.7 (H)	300 (L) x 80 (W) x 133.2 (H)
	inch	Ø5.7 x 2.2 (L)	Ø6.59 x 2.77 (L)	-	10.98 (L) x 4.57 (W) x 5.58 (H)	11.82 (L) x 3.15 (W) x 5.25 (H)
Color		White / Ivory	White / Ivory	White	White / Ivory	White
Weight		0.22kg (0.49lb)	0.28kg (0.62lb)	0.32kg (0.70lb)	1.3kg (2.87lb)	0.33kg (0.72lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model	DC-D2233W, DC-D2233WR, DC-D2233WHR TC-D1222WR DC-D4236X, DC-D4236RX	DC-D1122W DC-D1122WR DC-D1123W, DC-D1123WR, DC-D1123WHR, DC-D1123WHR, DC-D1223W, DC-D1223WR, DC-D1223WHR, DC-D1223WX, DC-D1323WHR DC-D2212WR, DC-D2233WHX DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX	DC-D3233HRXL, DC-D3533HRX, DC-D3C33HRX, DC-D6233HRX, DC-D6243HRX, DC-D6233HRXL DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX DC-D4533HRX DC-Y1513, DC-Y1513W, DC-Y1514, DC-Y1514W, DC-Y3C14WRX, DC-Y8C13RX, DC-Y8C13WRX	DC-D4213WRX, DC-D4216WRX, DC-D4513WRX TC-D4222WRX DC-Y6513RX, DC-Y6513WRX DC-D4223RX, DC-D4233RX, DC-D4533RX	DC-S1283WRX DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX 	
	DA-AP2000	DC-D3233HRX-N, DC-D3243HRX-N, DA-WM2050, DA-CM2050	DA-WM2050, DA-CM2050	DA-BM1100, DA-DH1100, DA-LM1100, DA-RM1100		









		Wall Mount			Ceiling Mount	
Model		DA-WM2050	DA-WM2160	DA-WM4100	DA-CM1300	DA-CM1500
						
SPECIFICATION						
Material		Aluminum	Aluminum	Metal	Aluminum	Aluminum
Size	mm	224 (L) x 110.5 (W) x 78.5 (H)	148.5 (L) x 132.0 (W) x 47.0 (H)	86 (W) x 103 (D) x 30 (H)	390 (L) x 148 (W) x 116 (H)	168 (L) x 148 (W) x 116 (H)
	inch	8.82 (L) x 4.39 (W) x 3.1 (H)	5.91 (L) x 5.12 (W) x 1.58 (H)	-	15.36 (L) x 5.82 (W) x 4.57 (H)	6.61 (L) x 5.82 (W) x 4.57 (H)
Color		White / Ivory	White / Ivory	White	White / Ivory	White / Ivory
Weight		0.61kg (1.35lb)	0.25kg (0.56lb)	0.125kg (0.27lb)	1.02kg (2.24lb)	0.56kg (1.23lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model			DC-D3212RX-N DC-D4212R, DC-D4213RX, DC-D4216X, DC-D4216RX, DC-D4513RX DC-D4223RX, DC-D4233RX, DC-D4533RX TC-D4211R, TC-D4222RX, TC-D4221RXP	DC-C4212RX	DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX	DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX
	DA-MA2000, DA-MA2100, DA-MA4100, DA-LM2000, DA-RM2000				DA-BM1100, DA-DH1100 	DA-BM1100, DA-DH1100

	Ceiling Mount	Pole Mount		Corner Mount		
Model	DA-CM2050	DA-LM1100	DA-LM2000	DA-RM1100	DA-RM2000	
						
SPECIFICATION						
Material		Aluminum	Aluminum, Stainless steel	Steel	Aluminum	Steel
Size	mm	Ø99.5 x 308.1 - 518 (L)	156 (L) x 136 (W) x 40.7 (H)	110 (L) x 100 (W) x 44.1 (H)	337.8 (L) x 140 (W) x 199.1 (H)	165.7 (L) x 110 (W) x 89.3 (H)
	inch	Ø3.92 x 12.13 - 20.4 (L)	6.15 (L) x 5.36 (W) x 1.60 (H)	4.33 (L) x 3.93 (W) x 1.73 (H)	13.29 (L) x 5.52 (W) x 7.83 (H)	6.5 (L) x 4.33 (W) x 3.51 (H)
Color		White / Ivory	White / Ivory	White / Ivory	White / Ivory	White / Ivory
Weight		0.55kg (1.21lb)	0.8kg (1.76lb)	0.3kg (0.66lb)	1.2kg (2.64lb)	0.47kg (1.03lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model			DC-T3C33HRX			
	DA-MA2000, DA-MA2100, DA-MA4100	DA-WM1400	DA-WM2050, DA-JB2000, DA-JB2300, DA-JB4100 	DA-WM1400	DA-WM2050, DA-JB2000, DA-JB2300, DA-JB4100	

		Flush Mount		Adaptor Plate		Junction Box
Model		DA-FM1500	DA-FM4100	DA-BM1100	DA-AP3000	DA-JB2000
						
SPECIFICATION						
Material		Steel	Steel	Aluminum	Steel	Aluminum
Size	mm	Ø210.2 x 87.0 (H)	Ø140.6 x 154 (H)	Ø154 x 50 (L)	Ø138.0 x 3.0 (H)	90 (L) x 90 (W) x 56 (H)
	inch	Ø8.27 x 3.43 (H)	Ø5.54 x 6.06 (H)	Ø6.06 x 1.97 (L)	Ø5.4 x 0.12 (H)	3.55 (L) x 3.55 (W) x 2.2 (H)
Color		Silver / White	Silver / White	White / Ivory	Natural	White / Ivory
Weight		0.65kg (1.44lb)	0.24kg (0.53lb)	0.2kg (0.44lb)	0.16kg (0.35lb)	0.2kg (0.45lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model				DC-S1163WH, DC-S1263WH, DC-S1283WHX DC-S3283WHX	DC-D3233X-N, DC-D3233RX-N DC-D6233X, DC-D6233RX	DC-T3233HRX, DC-T3243HRX, DC-T3234HRX, DC-T3233HRXL, DC-T3533HRX DC-T6233HRX, DC-T6234HRX, DC-T6243HRX, DC-T6233HRXL
	DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX, DC-D4533HRX	TC-D4222RX, TC-D4222WRX, TC-D4221RXP, TC-D4221WRXP				
				DA-CM1300, DA-CM1500, DA-WM1400	DA-MA2000	DA-LM2000, DA-RM2000

		Junction Box				Box Housing
Model		DA-JB2200	DA-JB2300	DA-JB4100	DA-JB4600	DA-BH1100
						
SPECIFICATION						
Material		Aluminum	Aluminum	Aluminum	Metal	Aluminum, Plastic
Size	mm	Ø155 x 33.3 (L)	155 (W) x 138.5 (D) x 52.5 (H)	Ø110.8 x 61.5 (L)	Ø162 x 60.5(H)	438.1 (L) x 147.2 (W) x 107.3 (H)
	inch	Ø6.11 x 1.31 (L)	6.10 (W) x 5.45 (D) x 2.07 (H)	Ø4.36 x 2.42 (L)	-	17.25 (L) x 5.8 (W) x 4.23 (H)
Color		White / Ivory	White / Titan	White / Titan	White	White
Weight		0.35kg (0.77lb)	0.66kg (1.46lb)	0.41kg (0.90lb)	0.81kg (1.78lb)	1.0kg (2.20lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model	DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX, DC-D4533HRX		DC-T3233HRX, DC-T3243HRX, DC-T3234HRX, DC-T3233HRXL, DC-T3533HRX DC-T6233HRX, DC-T6234HRX, DC-T6243HRX, DC-T6233HRXL	DC-T4233WRX, DC-T4233HRX, DC-T4236WRX, DC-T4236HRX, DC-T4533HRX DC-E4213WRX, DC-E4513WRX TC-T4222WRX, TC-E4211WRX	DC-T4233WRX, DC-T4233HRX, DC-T4236WRX, DC-T4236HRX, DC-T4533HRX DC-E4213WRX, DC-E4216WRX, DC-E4513WRX TC-T4222WRX, TC-T4221WRXP TC-E4211WRX	DC-D4213WRX, DC-D4216WRX, DC-D4513WRX DC-Y6513WRX TC-D4222WRX
			DA-LM2000, DA-RM2000 	DA-LM2000, DA-RM2000	DA-LM2000, DA-RM2000	DA-WM1500 



		Sun Shield		Tilt Mount		
Model		DA-DH1100 (DA-BM1100 included)	DA-SS1100	DA-TM1100	DA-TM4100	DA-TM4200
						
SPECIFICATION						
Material		Aluminum	Plastic	Aluminum	Plastic	Metal
Size	mm	Ø233.9 x 158 (L)	Ø158.2 x 96.5 (H)	Ø155 x 64.4 (H)	Ø121 x 50.7 (H)	Ø135 x 54 (H)
	inch	Ø9.20 x 6.22 (L)	Ø6.22 x 3.8 (H)	Ø6.1 x 2.54 (H)	Ø4.76 x 2.00 (H)	-
Color		Sliver / White	White	White	White	White
Weight		0.45kg (1.0lb)	0.05kg (0.11lb)	0.38kg (0.84lb)	0.07kg (0.15lb)	0.2kg (0.45lb)
DIMENSIONS						
		  	  	  	 	 
APPLICATION						
Relevant Model		DC-S1163WH, DC-S1263WH, DC-S1283WHX DC-S3283WHX	DC-D3233HRX-N, DC-D3233HRXL, DC-D3243HRX-N DC-D3533HRX, DC-D3C33HRX DC-D6233HRX, DC-D6243HRX, DC-D6233HRXL	DC-Y1514, DC-Y1514W DC-Y3C14WRX DC-Y8C13RX, DC-Y8C13WRX	DC-Y6513RX	DC-Y6513WRX
		DA-CM1300, DA-CM1500, DA-WM1400				DA-LM2000, DA-RM2000

	Wall Mount	Flush Mount	Adaptor Plate		Junction Box	
Model	DA-WM2150	DA-FM1300	DA-AP2000	DA-AP4100	DA-JB2100	
						
SPECIFICATION						
Material		Aluminum	Steel	Aluminum	Steel	Aluminum
Size	mm	148.5 (L) x 132.0 (W) x 47.0 (H)	Ø210.2 x 87.0 (H)	Ø166.0 x 12.8 (H)	Ø151.0 x 3.0 (H)	152.2 (L) x 150.5 (W) x 38.0 (H)
	inch	5.91 (L) x 5.12 (W) x 1.58 (H)	Ø8.27 x 3.43 (H)	Ø6.5 x 0.5 (H)	Ø5.94 x 0.12 (H)	6 (L) x 5.93 (W) x 1.49 (H)
Color		White / Ivory	Silver / White	White / Ivory	Natural	White / Ivory
Weight		0.25kg (0.56lb)	0.65kg (1.44lb)	0.2kg (0.45lb)	0.19kg (0.42lb)	0.32kg (0.71lb)
DIMENSIONS						
						
APPLICATION						
Relevant Model	DC-D1111, DC-D1212R DC-D2212R, DC-D2233, DC-D2233R TC-D1222R DC-D3212RX, DA-WM2160으로 대체. 	DC-D1122, DC-D1122E, DC-D1123, DC-D1123R, DC-D1223, DC-D1223R, DC-D1323R, DC-D1122W DC-D1122WR, DC-D1123W, DC-D1123WR, DC-D1223W, DC-D1223WR, DC-D1223WX	DC-D2233, DC-D2233R, DC-D2233W, DC-D2233WR, DC-D2233WHR DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX TC-D1222WR	DC-D1122, DC-D1122R, DC-D1123, DC-D1123R DC-D1223, DC-D1223R DC-D1323R DC-D4236X, DC-D4236RX	DC-Y6513RX: DC-MA4100 사용, 해당 모델 사용하지 않음. DC-D2233W, DC-D2233WR, DC-D2233WHR TC-D1222WR	
			DA-MA2000	DA-MA2100		

CAMERA MOUNTS (2)



Type	Model		Dimensions	Weight	Material	Relevant Models
Mount Adapter	DA-MA2000		Ø144.6mm x 56.3mm (L) (Ø5.7" x 2.2" (L))	0.22kg (0.49lb)	Aluminum	DA-AP2000 DC-D2233W, DC-D2233WR, DC-D2233WHR TC-D1222WR DC-D4236X, DC-D4236RX
	DA-MA2100		Ø167.2mm x 70.2mm (L) (Ø6.59" x 2.77" (L))	0.28kg (0.62lb)	Aluminum	DA-CM2050, DA-WM2050 DC-D1122W, DC-D1122WR, DC-D1123W, DC-D1123WR, DC-D1123WHR, DC-D1223W, DC-D1223WR, DC-D1223WHR, DC-D1223WX, DC-D1323WHR DC-D2212WR, DC-D2233WHX DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX DC-D3233HRX-N, DC-D3243HRX-N, DC-D3233HRXL, DC-D3533HRX, DC-D3C33HRX, DC-D6233HRX, DC-D6243HRX, DC-D6233HRXL DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX, DC-D4533HRX DC-Y1513, DC-Y1513W, DC-Y1514, DC-Y1514W DC-Y3C14WRX, DC-Y8C13RX, DC-Y8C13WRX
	DA-MA4100		Ø144mm x 67mm (H)	0.32g (0.70lb)	Metal	DA-WM2050, DA-CM2050 DC-D4213WRX, DC-D4216WRX, DC-D4513WRX TC-D4222WRX DC-Y6513RX, DC-Y6513WRX DC-D4223RX, DC-D4233RX, DC-D4533RX
Wall Mount	DA-WM1400		279mm (L) x 116mm (W) x 141.7mm (H) (10.98" (L) x 4.57" (W) x 5.58" (H))	1.3kg (2.87lb)	Aluminum	DA-BM1100, DA-DH1100, DA-LM1100, DA-RM1100 DC-S1283WRX DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX
	DA-WM1500		300mm (L) x 80mm (W) x 133.2mm (H) (11.82" (L) x 3.15" (W) x 5.25" (H))	0.33kg (0.72lb)	Aluminum	DA-BH1100
	DA-WM2050		224.0mm (L) x 110.5mm (W) x 78.5mm (H) (8.82" (L) x 4.39" (W) x 3.1" (H))	0.61kg (1.34lb)	Aluminum	DA-MA2000, DA-MA2100, DA-MA4100, DA-LM2000, DA-RM2000
	DA-WM2150		148.5mm (L) x 132mm (W) x 47mm (H) (5.91" (L) x 5.12" (W) x 1.58" (H))	0.25kg (0.56lb)	Aluminum	DC-D1111, DC-D1212R DC-D2212R, DC-D2233, DC-D2233R TC-D1222R DC-D3212RX: DA-WM2160 으로 대체
	DA-WM2160		148.5 mm (L) x 132.0mm (W) x 47.0mm (H) (5.91" (L) x 5.12" (W) x 1.58" (H))	0.25kg (0.56lb)	Aluminum	DC-D3212RX-N DC-D4212R, DC-D4213RX, DC-D4216X, DC-D4216RX, DC-D4513RX DC-D4223RX, DC-D4233RX, DC-D4533RX TC-D4211R, TC-D4222RX, TC-D4221RXP
	DA-WM4100		86mm (W) x 103mm (D) x 30mm (H)	0.125kg (0.27lb)	Metal	DC-C4212RX

Type	Model		Dimensions	Weight	Material	Relevant Models
Ceiling Mount	DA-CM1300		390mm (L) x 148mm (W) x 116mm (H) (15.36" (L) x 5.82" (W) x 4.57" (H))	1.02kg (2.24lb)	Aluminum	DA-BM1100, DA-DH1100 DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX
	DA-CM1500		168mm (L) x 148mm (W) x 116mm (H) (6.61" (L) x 5.82" (W) x 4.57" (H))	0.56kg (1.23lb)	Aluminum	DA-BM1100, DA-DH1100 DC-S6283HRXL DC-S3583HRX, DC-S3883HRX TC-S1283WHX
	DA-CM2050		Ø99.5mm x 308.1mm - 518mm (L) (Ø3.92" x 12.13" - 20.4" (L))	0.55kg (1.21lb)	Aluminum	DA-MA2000, DA-MA2100, DA-MA4100
Pole Mount	DA-LM1100		156mm (L) x 136mm (W) x 40.7mm (H) (6.15" (L) x 5.36" (W) x 1.60" (H))	0.8kg (1.76lb)	Aluminum, Stainless steel	DA-WM1400
	DA-LM2000		110mm (L) x 100mm (W) x 44.1mm (H) (3.94" (L) x 3.94" (W) x 1.74" (H))	0.3kg (0.67lb)	Steel	DA-WM2050, DA-JB2000, DA-JB2300, DA-JB4100 DC-T3C33HRX
Corner Mount	DA-RM1100		337.8 (L) x 140.0 (W) x 199.1 (H) (13.29" (L) x 5.52" (W) x 7.83" (H))	1.2kg (2.64lb)	Aluminum	DA-WM1400
	DA-RM2000		165.7 (L) x 110.0 (W) x 89.3 (H) (6.5" (L) x 4.33" (W) x 3.52" (H))	0.47kg (1.03lb)	Steel	DA-WM2050, DA-JB2000, DA-JB2300, DA-JB4100 DC-T3C33HRX
Flush Mount	DA-FM1300		Ø210.2mm x 87.0mm (H) (Ø8.27" x 3.43" (H))	0.65kg (1.44lb)	Steel	DC-D1122, DC-D1122E, DC-D1123, DC-D1123R, DC-D1223, DC-D1223R, DC-D1323R, DC-D1122W, DC-D1122WR, DC-D1123W, DC-D1123WR, DC-D1223W, DC-D1223WR, DC-D1223WX DC-D2233, DC-D2233R, DC-D2233W, DC-D2233WR, DC-D2233WHR DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX TC-D1222WR
	DA-FM1500		Ø210.2mm x 87.0mm (H) (Ø8.27" x 3.43" (H))	0.65kg (1.44lb)	Steel	DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX, DC-D4533HRX TC-D4222RX, TC-D4222WRX, TC-D4221RXP, TC-D4221WRXP
	DA-FM4100		Ø140.6mm x 154mm (H) (Ø5.54" x 6.06" (H))	0.24kg (0.53lb)	Steel	DC-D4213RX, DC-D4216X, DC-D4216RX, DC-D4513RX

Type	Model		Dimensions	Weight	Material	Relevant Models
Adapter Plate	DA-BM1100		Ø154.0mm x 50.0mm (H) (Ø6.06" x 1.97" (H))	0.2kg (0.45lb)	Aluminum	DA-CM1300, DA-CM1500, DA-WM1400 DC-S1163WH, DC-S1263WH, DC-S1283WHX, DC-S3283WHX
	DA-AP2000		Ø166.0mm x 12.8mm (H) (Ø6.5" x 0.5" (H))	0.2kg (0.45lb)	Aluminum	DA-MA2000 DC-D1122, DC-D1122R, DC-D1123, DC-D1123R, DC-D1223, DC-D1223R, DC-D1323R DC-D4236X, DC-D4236RX
	DA-AP3000		Ø138.0mm x 3.0mm (H) (Ø5.4" x 0.12" (H))	0.16kg (0.35lb)	Steel	DA-MA2000 DC-D3233X-N, DC-D3233RX-N, DC-D6233X, DC-D6233RX
	DA-AP4100		Ø151.0mm x 3.0mm (H) (Ø5.94" x 0.12" (H))	0.19kg (0.42lb)	Steel	DA-MA2100 DC-Y6513RX: DC-MA4100 사용, 해당 모델 사용하지 않음.
Junction Box	DA-JB2000		90.0mm (L) x 90.0mm (W) x 56.0mm (H) (3.55" (L) x 3.55" (W) x 2.2" (H))	0.2kg (0.45lb)	Aluminum	DA-LM2000, DA-RM2000 DC-T3233HRX, DC-T3243HRX, DC-T3234HRX, DC-T3233HRXL, DC-T3533HRX, DC-T6233HRX, DC-T6234HRX, DC-T6243HRX, DC-T6233HRXL
	DA-JB2100		152.2mm (L) x 150.5mm (W) x 38.0mm (H) (6" (L) x 5.93" (W) x 1.49" (H))	0.32kg (0.71lb)	Aluminum	DC-D2233W, DC-D2233WR, DC-D2233WHR TC-D1222WR
	DA-JB2200		Ø155.0mm x 33.3mm (L) (Ø6.11" x 1.31" (L))	0.35kg (0.78lb)	Aluminum	DC-D3233X, DC-D3233RX, DC-D3233WRX, DC-D3233HRX, DC-D3533RX DC-D4223WRX, DC-D4233WRX, DC-D4233HRX, DC-D4236WRX, DC-D4236HRX, DC-D4533HRX DC-Y1514, DC-Y1514W, DC-Y3C14WRX, DC- Y8C13RX, DC-Y8C13WRX
	DA-JB2300		155mm (L) x 138.5mm (W) x 52.5mm (H) (6.10" (W) x 5.45" (D) x 2.07" (H))	0.66kg (1.46lb)	Aluminum	DA-LM2000, DA-RM2000 DC-T3233HRX, DC-T3243HRX, DC-T3234HRX, DC-T3233HRXL, DC-T3533HRX, DC-T6233HRX, DC-T6234HRX, DC-T6243HRX, DC-T6233HRXL, DC-T4233WRX, DC-T4233HRX, DC-T4236WRX, DC-T4236HRX, DC-T4533HRX, DC-E4213WRX, DC-E4513WRX, TC-T4222WRX, TC-E4211WRX
	DA-JB4100		Ø110.8mm x 61.5mm (L) (Ø4.36" x 2.42" (L))	0.41kg (0.90lb)	Aluminum	DA-LM2000, DA-RM2000 DC-T4233WRX, DC-T4233HRX, DC-T4236WRX, DC-T4236HRX, DC-T4533HRX DC-E4213WRX, DC-E4216WRX, DC-E4513WRX TC-T4222WRX, TC-T4221WRXP, TC-E4211WRX
	DA-JB4600		Ø162mm x 60.5mm (H)	0.81kg (1.78lb)	Metal	DA-LM2000, DA-RM2000 DC-D4213WRX, DC-D4216WRX, D4513WRX DC-Y6513WRX TC-D4222WRX

Type	Model		Dimensions	Weight	Material	Relevant Models
Box Housing	DA-BH1100		438.1mm (L) x 147.2mm (W) x 107.3mm (H) (17.25" (L) x 5.8" (W) x 4.23" (H))	1.0kg (2.20lb)	Aluminum, Plastic	DA-WM1500 DC-B1101, DC-B1103, DC-B1203, DC-B1203X, DC-B1303, DC-B1803, DC-Z1163, DC-Z1263, TC-B1202, TC-B4202X, TC-B4201XP
	DA-DH1100		Ø233.9mm x 158.0mm (H) (Ø9.20" x 6.22" (L))	0.45kg (1.0lb)	Aluminum	DA-CM1300, DA-CM1500, DA-WM1400 DC-S1163WH, DC-S1263WH, DC-S1283WHX, DC-S3283WHX
Sun Shield	DA-SS1100		Ø158.2mm x 96.5mm (H) (Ø6.22" x 3.8" (H))	0.05kg (0.11lb)	Plastic	DC-D3233HRX-N, DC-D3233HRXL, DC-D3243HRX-N, DC-D3533HRX, DC-D3C33HRX, DC-D6233HRX, DC-D6243HRX, DC-D6233HRXL
Tilt Mount	DA-TM1100		Ø155mm x 64.4mm (H) (Ø6.1" x 2.54" (H))	0.38kg (0.84lb)	Aluminum	DC-Y1514, DC-Y1514W, DC-Y3C14WRX, DC-Y8C13RX, DC-Y8C13WRX
	DA-TM4100		Ø121mm x 50.7mm (H) (Ø4.76" x 2.00" (H))	0.07kg (0.15lb)	Plastic	DC-Y6513RX
	DA-TM4200		Ø135mm x 54mm (H)	0.2kg (0.45lb)	Metal	DA-LM2000, DA-RM2000 DC-Y6513WRX